



EMF Assessment

Issued by: Fronius International GmbH
 Valid from: 2024-10-25 Revision: 0

Equipment Info

Brand name: Fronius
 Model name(s): Ignis 180, Ignis 180 XT
 Model number(s): 4,075,248,xxx
 Intended use: for occupational use for use by layman

Basic Info

Applied regulation: Directive 2014/35/EU
 Referenced limits: 2013/35/EU, 1999/519/EC (for general public)
 Applied standard(s): IEC 62822-1:2016, IEC 62822-2:2016

Non-thermal effects need to be considered for workplace assesment YES NO
 Thermal effects need to be considered for workplace assesment YES NO
 Data is based on maximum power source capability (valid unless firmware / hardware changed)
 Data is based on worst case settings / program (valid until options / program changed)
 Data is based on multiple settings / programs (valid until options / program changed)

Compliance information summary

Compliance with the exposure limit values for health effects at standardized configurations YES NO
 Compliance with the exposure limit values for sensory effects at standardized configurations n.a. YES NO
 All values below the action levels at the standardized configurations n.a. YES NO

EMF data for non-thermal effects

Exposure indices (EI) and distances to welding circuit (for each operation mode, as applicable)

	health head	health trunk	health thigh	health hand	sensory head
Standardized distance [cm]	10.00	10.00	3.00	3.00	10.00
EI at standardized distance	0.12	0.20	0.26	0.11	0.12
Required minimum distance [cm]	0.50	1.00	0.50	1.00	0.50

Distance where all EI fall below 20 %: 9.00 cm
 Distance where compliance with general public limit is reached (as applicable) 500.00 cm